

ZHIYUAN FAN

fan-zy19@mails.tsinghua.edu.cn \diamond fan-zhiyuan.org

EDUCATION

- **Tsinghua University**, Bachelor of Computer Science and Technology. Sept. 2019 - present
 - Institute for Interdisciplinary Information Science. (Also known as Yao Class, founded by Prof. Andrew Yao in 2005.)
 - Overall GPA 3.91/4.00, Top 25%.
 - Relevant Courses: Machine Learning (A), Algorithm Design (A+), Theory of Computation (A+), Fundamentals of Cryptography (A+), Game Theory (A), Mathematics for Computer Science (A), Causal and Statistical Learning (A).
 - **Yao Award**, 2nd Prize. *Yao Award is established to recognize the outstanding performances of Yao Class students.*

RESEARCH INTERESTS

- Theoretical Machine Learning, Algorithms.

PAPERS

(*: alphabet order)

- The Power of Feel-Good Thompson Sampling: A Unified Framework for Linear Bandits.
Zhiyuan Fan & Quanquan Gu.
Submitted to ICLR 2023.
- On the Interplay Between Misspecification and Sub-optimality Gap: From Linear Contextual Bandits to Linear MDPs.
Weitong Zhang, Jiafan He, **Zhiyuan Fan** & Quanquan Gu.
Submitted to ICLR 2023.
- The Exact Complexity of Pseudorandom Functions and the Black-Box Natural Proof Barrier.
Zhiyuan Fan*, Jiayu Li* & Tianqi Yang*.
Accepted by **STOC 2022**. **Best Student Paper** co-winner. Invited to **Special Issue of SICOMP**.
- Efficient Algorithms for Sparse Moment Problems without Separation.
Zhiyuan Fan* & Jian Li*.
Preprint: arXiv:2207.13008.

RESEARCH EXPERIENCE

- **Unified Algorithm for Linear Bandits**, UCLA. June. 2022 - Oct. 2022
 - Advisor: Prof. Quanquan Gu
 - Based on an observation that feel-good Thompson sampling can be regarded as an EXP4-type algorithm, we proposed a unified framework for linear contextual bandits. The new algorithm achieves nearly minimax optimal regret in various settings and resolves the respective open problem in each setting.
- **Gap-dependent Misspecified Linear Bandits**, UCLA. June. 2022 - Oct. 2022
 - Advisor: Prof. Quanquan Gu
 - I found a better analysis for the existing analysis and improved the gap-dependent regret bound for linear contextual bandits. This improvement closes the gap in the existing result and demonstrates a sharp phase transition for the learnable region on the interplay between misspecification and sub-optimality gap.
- **The Complexity of Pseudorandom Functions**, Tsinghua University. July. 2021- Oct. 2021
 - Course Project for Fundamentals of Cryptography
 - Based on the new efficient construction for hash functions, we showed that pseudorandom functions could be constructed in extremely low circuit complexity in various circuit families. The construction is nearly-optimal as we presented tight lower bounds correspondingly.
- **On Sparse Moment Problems**, Tsinghua University. June. 2021- June. 2022
 - Advisor: Prof. Jian Li

- Based on an observation of the connection between Vandermonde linear systems and Schur polynomials, we proposed an efficient algorithm that is a robust version of Prony's method for learning mixtures of discrete distribution from noisy moments. It is the first algorithm that runs in quadratic time and achieves theoretical optimal error bound for this problem without extra restricting assumptions. The new result improves all previous algorithms for this problem.

AWARDS AND HONORS

- **Yao Award**, 2nd Prize (3/62) 2022
- **STOC 2022**, Danny Lewin Best Student Paper Award 2022
- Scholarship of Tsinghua University
 - Scientific Innovation Excellence Award 2022
 - Academic Excellence Award (twice) 2021, 2022
- International Collegiate Programming Contest
 - ICPC Asia Shanghai Regional Contest, Gold Medal (rank 2) 2019
 - ICPC Asia-East Continent Final Contest, Gold Medal 2019
- China Collegiate Programming Contest
 - CCPC Qinghuangdao Regional Contest, Gold Medal (rank 2) 2019
- Chinese National Olympiad in Informatics, Gold Medal (twice) 2017, 2018

SKILLS

- **Programming Languages:** C++, Python, Go, SQL, MATLAB
- **Tools and Frameworks:** PyTorch, Matplotlib, \LaTeX , Git, MySQL